

CATALOGUE

PORCELAIN TILE

2017 - 2018

Contents

Stone With Multi - Surfaces

- 07 Solar Stone Collection
- 19 Sea Sand Stone Collection
- 27 Snow White Collection
- 31 Pure color collection


Double Loading Porcelain

- 37 J Collection
- 39 Q Collection
- 41 JC Collection
- 43 JX Collection
- 45 MD Collection
- 47 FA Collection
- 49 MF Collection
- 51 TG Collection
- 53 MR Collection

STONE WITH MULTI - SURFACES

Surface : Polished / Natural / Rough





Solar Stone Collection

Surface : Polished / Natural / Rough
600×600mm / 24"×24"

7-color in solar stone



6

6 Advantages



Low Water Absorption



Stain Resistance



Acid And Alkali Resistance



High Hardness



High Abrasion



Environmental Protection

APPLICATION Floor & Wall



AC-01 Polished

AM-01 Natural

AE-01 Rough



AC-51 Polished

AM-51 Natural

AE-51 Rough



AC-31 Polished

AM-31 Natural


AE-31 Rough



AC-61 Polished

AM-61 Natural

AE-61 Rough



Solar Stone Collection

Surface : Polished / Natural / Rough
600×600mm / 24"×24"

7-color in solar stone



- 6

6 Advantages
- Low Water Absorption

Stain Resistance

Acid And Alkali Resistance
- High Hardness


High Abrasion

Environmental Protection

APPLICATION Floor & Wall



AC-11 Polished AM-11 Natural AE-11 Rough



AC-21 Polished AM-21 Natural AE-21 Rough




AC-41 Polished AM-41 Natural AE-41 Rough



◁
AC-01 Polished



◁
AM-01 Natural



◁
AE-01 Rough



◁
AC-31 Polished



◁
AM-31 Natural



◁
AE-31 Rough



< AC-51 Polished



< AM-51 Natural



< AE-51 Rough

Solar Stone Collection

Surface : Polished / Natural / Rough

APPLICATION Floor & Wall



< AC-61 Polished



< AM-61 Natural



< AE-61 Rough



Solar Stone Collection

Applications:
SOLAR STONE - AC-21 Polished Surface
600×600mm / 24"×24"、600×300mm / 24"×12"




Applications:
SOLAR STONE - AC-31 Polished Surface
600×600mm / 24"×24"

Solar Stone Collection

Applications:
AC-51 Polished Surface
600×600mm / 24"×24"





Sea Sand Stone Collection

Surface : Polished / Natural / Rough
600×600mm / 24"×24"

7-color in sea sand stone



6

6 Advantages



Low Water Absorption



Stain Resistance



Acid And Alkali Resistance



High Hardness



High Abrasion



Environmental Protection

APPLICATION Floor & Wall



JA-11 Polished

JAM-11 Natural

JAЕ-11 Rough

JA-14 Polished

JAM-14 Natural

JAЕ-14 Rough

JA-13 Polished


JAM-13 Natural

JAЕ-13 Rough

JA-15 Polished

JAM-15 Natural

JAЕ-15 Rough



Sea Sand Stone Collection

Surface : Polished / Natural / Rough
600×600mm / 24"×24"

7-color in sea sand stone



6

6 Advantages



Low Water Absorption



Stain Resistance



Acid And Alkali Resistance



High Hardness



High Abrasion



Environmental Protection

APPLICATION Floor & Wall



JA-12 Polished

JAM-12 Natural


JAE-12 Rough



JA-17 Polished

JAM-17 Natural


JAE-17 Rough



JA-16 Polished

JAM-16 Natural

JAE-16 Rough



Sea Sand Stone Collection

Applications:
SEA SAND STONE - JA-15 Polished Surface
600×600mm / 24"×24"



Applications:
SEA SAND STONE - JAM-17 Natural Surface
600×600mm / 24"×24"




Sea Sand Stone Collection

Applications:
SEA SAND STONE - JA-14 Polished Surface
600×600mm / 24"×24"



Applications:
SEA SAND STONE - JAM-14 Natural Surface
600×600mm / 24"×24"



Snow White Collection

Surface : Polished / Natural / Rough / Linen
600×600mm / 24"×24"

6
6 Advantages

- Low Water Absorption
- Stain Resistance
- Acid And Alkali Resistance

- High Hardness
- High Abrasion
- Environmental Protection

APPLICATION Floor & Wall



50°
Whiteness



BC-50 Polished

BM-50 Natural

BE-50 Rough

BH-50 Linen

60°
Whiteness



BC-60 Polished

BM-60 Natural

BE-60 Rough

BH-60 Linen

70°
Whiteness



BC-70 Polished

BM-70 Natural

BE-70 Rough

BH-70 Linen



B1-3005 Polished




Applications: B1-3005 Polished
600×600mm / 24"×24

Snow White Collection

Applications:
BC-70 Polished Surface
600×600mm / 24"×24"





Pure Color Collection

Surface : Polished / Natural / Linen
600×600mm / 24"×24"

6
6 Advantages



Low Water Absorption



Stain Resistance



Acid And Alkali Resistance



High Hardness



High Abrasion




Environmental Protection

APPLICATION Floor & Wall



Color: light gray




SC-03 Polished

SM-03 Natural

SH-03 Linen

Color: dark gray




SC-04 Polished

SM-04 Natural

SH-04 Linen

Color: beige



SC-05 Polished

SM-05 Natural

SH-05 Linen

Color: brown



SC-06 Polished

SM-06 Natural

SH-06 Linen



Pure Color Collection

Applications:
PURE COLOR - SH-05 Linen Surface / SC-06 Polished Surface
600×600mm / 24"×24、600×300mm / 24"×12"



Applications:
PURE COLOR - SC-03 Polished Surface
600×600mm / 24"×24

DOUBLE LOADING PORCELAIN

Surface : Polished





J Collection

Surface : Polished

600×600mm、800×800mm / 24"×24"、32"×32"

APPLICATION Floor & Wall



J-C01K1



J-C01J1



J-C01E1




J-C01A1




J-C01G1

6
6 Advantages

- | | |
|--|--|
|  Low Water Absorption |  High Hardness |
|  Stain Resistance |  High Abrasion |
|  Acid And Alkali Resistance |  Environmental Protection |



Applications: J-C01J1



Q Collection

Surface : Polished

600×600mm、800×800mm / 24"×24"、32"×32"

APPLICATION Floor & Wall



6

6 Advantages


- | | |
|--|--|
|  Low Water Absorption |  High Hardness |
|  Stain Resistance |  High Abrasion |
|  Acid And Alkali Resistance |  Environmental Protection |




Q-351A1



Q-354A1



Applications: Q-351A1




JC Collection

Surface : Polished

600×600mm、800×800mm / 24"×24"、32"×32"

APPLICATION Floor & Wall



JC-C1



JC-C2



JT-08




JT-09

6
Advantages

- | | |
|--|--|
|  Low Water Absorption |  High Hardness |
|  Stain Resistance |  High Abrasion |
|  Acid And Alkali Resistance |  Environmental Protection |



Applications: JC-C1



JX Collection

Surface : Polished

600×600mm、800×800mm / 24"×24"、32"×32"

APPLICATION Floor & Wall




JX-01



JX-03



JX-31



JX-32




Applications: JX-32

6
Advantages

- Low Water Absorption
- Stain Resistance
- Acid And Alkali Resistance

- High Hardness
- High Abrasion
- Environmental Protection



MD Collection

Surface : Polished

600×600mm、800×800mm、600×1200mm
24"×24"、32"×32"、24"×48"

APPLICATION Floor & Wall



6
Advantages

Low Water Absorption
Stain Resistance
Acid And Alkali Resistance

High Hardness
High Abrasion
Environmental Protection



MD-01



MD-06



MD-09




MD-01



MD-06



Applications: MD-09



FA Collection

Surface : Polished

600×600mm、800×800mm / 24"×24"、32"×32"

APPLICATION Floor & Wall



FA-11



FA-13



FA-15



FA-16



FA-17



FA-18



Applications: FA-11

6

6 Advantages



Low Water Absorption



Stain Resistance



Acid And Alkali Resistance




High Hardness



High Abrasion



Environmental Protection



MF Collection

Surface : Polished

600×600mm、800×800mm / 24"×24"、32"×32"

APPLICATION Floor & Wall



MF-B1



MF-B2



MF-B6

6

6 Advantages



Low Water Absorption



Stain Resistance



Acid And Alkali Resistance



High Hardness




High Abrasion



Environmental Protection



Applications: MF-B2



TG Collection

Surface : Polished
800×800mm / 32"×32"

APPLICATION Floor & Wall



6
Advantages

- | | |
|--|--|
|  Low Water Absorption |  High Hardness |
|  Stain Resistance |  High Abrasion |
|  Acid And Alkali Resistance |  Environmental Protection |




TG-01



TG-02




TG-04



TG-03



Applications: TG-03



MR Collection

Surface : Polished
800×800mm / 32"×32"

APPLICATION Floor & Wall



6
Advantages

- | | |
|--|--|
|  Low Water Absorption |  High Hardness |
|  Stain Resistance |  High Abrasion |
|  Acid And Alkali Resistance |  Environmental Protection |



MR-02



MR-03



MR-04



Applications: MR-02

Quality Standard Reference Table Porcelain Floor Tiles

Tested Features	ISO 10545 Standard	European Standard	Chinese Standard
Length & width	± 0.5%	± 0.6%	± 1mm
Thickness	± 5%	± 5%	± 5%
Edges Straightness	± 0.5%	± 0.5%	± 0.2%& ≤ 2mm
Squareness	± 0.6%	± 0.6%	± 0.2%& ≤ 2mm
Center Curvature	± 0.5%	± 0.5%	± 0.2%& ≤ 2mm
Edge Curvature	± 0.5%	± 0.5%	± 0.2%& ≤ 2mm
Warpage	± 0.5%	± 0.5%	± 0.2%& ≤ 2mm
Surface Quality	Minimum 95%of the tiles shows no defect	Minimum 95%of tiles' surface shows no defect	Viewed vertically at 0.8m, minimum 95%tiles shows no defect
Water Absorption	Average ≤ 0.5% Individual ≤ 0.6%	≤ 0.3%	Average ≤ 0.5% Individual ≤ 0.6%
Breaking Sterngh	Thickness ≥ 7.5mm, Average > 1300N	Thickness ≥ 7.5mm, Average > 1300N	Thickness ≥ 7.5mm, Average > 1300N
Rupture Modulus	Average ≥ 35MPA Individual ≥ 32MPA	≥ 27MPA	Average ≥ 35MPA Individual ≥ 32MPA
Abrasion Resistance	≤ 175mm³	≤ 205mm³	≤ 175mm³
Thermal Shock Resistance	(Test Method Available)	Resistance required at 10 cycles	Resistance required at 10 cycles
Frost Resistance	(Test Method Available)	No Sample must show alterations	No Sample must show alterations or
Luster (Polished Tiles)	/	/	Average ≥ 55
Resistance to Chemical Etching	Minimum UB	Minimum UB	ULB.UHB.UB
Resistance to staining	Class 5	/	Class 5

Packing Information Table

Size (mm)	Piece/Carton	Weight/Piece (kg)	Carton Size (mm)	Pallet Size (mm)	Piece/Pallet (pcs)	Weight/Pallet (kg)
600×600 (Polished)	4	7.13~7.63	605×605×42	1100×1100	160	1166~1246
				1200×800	128	938~1002
300×600 (Polished)	8	3.57~3.82	605×305x84	1100×1100	320	1167~1247
				1200×800	256	939~1003
300×300 (Polished)	11	1.78~1.91	312×312×112	1100×1100	704	1278~1370
				1200×800	484	887~949
600×600	4	8.25	605×605×53	1100×1100	144	1213
				1200×800	128	949
300×600	8	4.12	610×310×98	1100×1100	320	1343
				1200×800	256	1080
300×300	11	2.06	312×312×124	1100×1100	616	1294
				1200×800	484	1022
800×800 (Polished)	3	15.00	810×810×38	1100×1100	84	1285
800×800	3	15.00	810×810×44	1100×1100	84	1285
400×800	4	7.50	810×410×59	1100×1100	192	1465
400×400	8	3.75	410×410×110	1100×1100	384	1465
1200×600	2	22.50	1205×605×37	1100×1100	96	2185
				1200×800	44	1015
1000×1000	2	30.00	1008×1008×37	1100×1100	58	1765
				Wooden case	44	1105